ANNEX 1

Bibliography

Supporting documents

- Ainsworth R, ed. (2004) Safe piped water: Managing microbial water quality in piped distribution systems. IWA Publishing, London, for the World Health Organization, Geneva.
- Bartram J et al., eds. (2003) *Heterotrophic plate counts and drinking-water safety: the significance of HPCs for water quality and human health.* WHO Emerging Issues in Water and Infectious Disease Series. London, IWA Publishing.
- Bartram J et al., eds. (2004) *Pathogenic mycobacteria in water: A guide to public health consequences, monitoring and management.* Geneva, World Health Organization.
- Chorus I, Bartram J, eds. (1999) *Toxic cyanobacteria in water: A guide to their public health consequences, monitoring and management.* Published by E & FN Spon, London, on behalf of the World Health Organization, Geneva.
- Davison A et al. (2004) Water safety plans. Geneva, World Health Organization.
- Dufour A et al. (2003) Assessing microbial safety of drinking water: Improving approaches and methods. Geneva, Organisation for Economic Co-operation and Development/World Health Organization.
- FAO/WHO (2003) *Hazard characterization for pathogens in food and water: guidelines.* Geneva, Food and Agriculture Organization of the United Nations/World Health Organization (Microbiological Risk Assessment Series No. 3). Available at http://www.who.int/foodsafety/publications/micro/en/pathogen.pdf.
- Havelaar AH, Melse JM (2003) *Quantifying public health risks in the WHO Guidelines for drinking-water quality: A burden of disease approach.* Bilthoven, National Institute for Public Health and the Environment (RIVM Report 734301022/2003).
- Howard G, Bartram J (2003) *Domestic water quantity, service level and health.* Geneva, World Health Organization.
- LeChevallier MW, Au K-K (2004) Water treatment and pathogen control: Process efficiency in achieving safe drinking-water. Geneva, World Health Organization and IWA.
- Sobsey M (2002) Managing water in the home: Accelerated health gains from improved water supply. Geneva, World Health Organization (WHO/SDE/WSH/02.07).

GUIDELINES FOR DRINKING-WATER QUALITY

- Sobsey MD, Pfaender FK (2002) Evaluation of the H₂S method for detection of fecal contamination of drinking water. Geneva, World Health Organization (WHO/SDE/WSH/02.08).
- Thompson T et al. (2004) *Chemical safety of drinking-water: Assessing priorities for risk management.* Geneva, World Health Organization.
- Wagner EG, Pinheiro RG (2001) *Upgrading water treatment plants*. Published by E & FN Spon, London, on behalf of the World Health Organization, Geneva.
- WHO (in preparation) The arsenic monograph. Geneva, World Health Organization.
- WHO (in preparation) Desalination for safe drinking-water supply. Geneva, World Health Organization.
- WHO (in revision) *Guide to hygiene and sanitation in aviation*. Geneva, World Health Organization.
- WHO (in revision) Guide to ship sanitation. Geneva, World Health Organization.
- WHO (in preparation) *Health aspects of plumbing*. Geneva, World Health Organization.
- WHO (in preparation) *Legionella and the prevention of legionellosis*. Geneva, World Health Organization.
- WHO (in preparation) Managing the safety of materials and chemicals used in the production and distribution of drinking-water. Geneva, World Health Organization.
- WHO (in preparation) *Protecting groundwaters for health Managing the quality of drinking-water sources.* Geneva, World Health Organization.
- WHO (in preparation) *Protecting surface waters for health Managing the quality of drinking-water sources.* Geneva, World Health Organization.
- WHO (in preparation) Rapid assessment of drinking-water quality: a handbook for implementation. Geneva, World Health Organization.
- WHO (in preparation) Safe drinking-water for travelers and emergencies. Geneva, World Health Organization.

Cited references¹

- APHA (1998) *Standard methods for the examination of water and wastewater*, 20th ed. Washington, DC, American Public Health Association.
- AS (1998) Water quality Sampling Guidance on the design of sampling programs, sampling techniques and the preservation and handling of samples. Australia and New Zealand Standards (AS/NZS 5667.1.1998).
- Bartram J, Ballance R, eds. (1996) *Water quality monitoring: a practical guide to the design and implementation of freshwater quality studies and monitoring programmes.*Published by E & FN Spon, London, on behalf of the United Nations Educational, Scientific and Cultural Organization, the World Health Organization and the United Nations Environment Programme.

¹ In chapter 11, selected bibliographical references are included at the end of each microbial fact sheet. In chapter 12, principal references are provided at the end of each chemical fact sheet.

ANNEX 1. BIBLIOGRAPHY

- Brikké F (2000) Operation and maintenance of rural water supply and sanitation systems: a training package for managers and planners. Delft, IRC International Water and Sanitation Centre; and Geneva, World Health Organization. Available at http://www.irc.nl/pdf/publ/ome.pdf.
- Codex Alimentarius Commission (1985) *Code of practice for collecting, processing and marketing of natural mineral waters*. Rome, Food and Agriculture Organization of the United Nations and World Health Organization (CAC RCP 33). Available at ftp://ftp.fao.org/codex/standard/en/CXP_033e.pdf.
- Codex Alimentarius Commission (1997) *Standard for natural mineral waters*. Rome, Food and Agriculture Organization of the United Nations and World Health Organization (CODEX STAN 108). Available at ftp://ftp.fao.org/codex/standard/en/CXS_108e.pdf.
- Codex Alimentarius Commission (2001) *General standard for bottled/packaged waters* (other than natural mineral waters). Rome, Food and Agriculture Organization of the United Nations and World Health Organization (CAC/RCP 48). Available at ftp://ftp.fao.org/codex/standard/en/CXP_048e.pdf.
- Crump KS (1984) A new method for determining allowable daily intakes. *Fundamental and Applied Toxicology*, 4:854–871.
- Dangendorf F et al. (2003) *The occurrence of pathogens in surface water.* Bonn, University of Bonn, World Health Organization Collaborating Centre (draft report).
- Davis J, Lambert R (2002) Engineering in emergencies: a practical guide for relief workers, 2nd ed. London, Intermediate Technology Publications.
- Evins C (2004) Small animals in drinking water systems. In: Ainsworth R, ed. *Safe, piped water: Managing microbial water quality in piped distribution systems.* IWA Publishing, London, for the World Health Organization, Geneva.
- Farland W, Dourson ML (1992) Noncancer health endpoints: approaches to quantitative risk assessment. In: Cothern R, ed. *Comparative environmental risk assessment*. Boca Raton, FL, Lewis Publishers, pp. 87–106.
- Guth DJ et al. (1991) Evaluation of risk assessment methods for short-term inhalation exposure. Presentation at the 84th Annual Meeting of the Air and Waste Management Association, Vancouver, British Columbia, 16–21 June 1991.
- Haas CN, Rose JB, Gerba CP (1999) *Quantitative microbial risk assessment*. New York, NY, Wiley.
- Havelaar AH et al. (2000) Balancing the risks of drinking water disinfection: Disability adjusted life-years on the scale. *Environmental Health Perspectives*, 108:315–321.
- Hertzberg RC (1989) Fitting a model to categorical response data with application to special extrapolation to toxicity. *Health Physics*, 57(Suppl. 1):404–409.
- Hertzberg RC, Miller M (1985) A statistical model for species extrapolation using categorical response data. *Toxicology and Industrial Health*, 1:43–57.
- House SF, Reed RA (1997) *Emergency water sources: Guidelines for selection and treatment.* Loughborough, Water, Engineering and Development Centre.

GUIDELINES FOR DRINKING-WATER QUALITY

- Howard G et al. (2002) *Healthy villages: A guide for communities and community health workers.* Geneva, World Health Organization.
- IAEA (1996) International basic safety standards for protection against ionizing radiation and for the safety of radiation sources. Vienna, International Atomic Energy Agency.
- IAEA (1997) Generic assessment procedures for determining protective actions during a reactor accident. Vienna, International Atomic Energy Agency (IAEA-TecDoc-955).
- IAEA (1998) *Diagnosis and treatment of radiation injuries*. Vienna, International Atomic Energy Agency/World Health Organization (Safety Reports Series No. 2).
- IAEA (1999) Generic procedures for monitoring in a nuclear or radiological emergency. Vienna, International Atomic Energy Agency (IAEA-TecDoc-1092).
- IAEA (2002) Safety requirements on preparedness and response for a nuclear or radiological emergency. Vienna, International Atomic Energy Agency (Safety Standards Series No. GS-R-2).
- ICRP (1989) Optimization and decision-making in radiological protection. Annals of the ICRP, 20(1).
- ICRP (1991) 1990 recommendations of the ICRP. *Annals of the ICRP*, 21(1.3). Oxford, Pergamon Press (International Commission on Radiological Protection Publication 60).
- ICRP (1992) Report of the Task Group on Reference Man. New York, NY, Pergamon Press (International Commission on Radiological Protection No. 23).
- ICRP (1996) Age-dependent doses to members of the public from intake of radionuclides: Part 5. Compilation of ingestion and inhalation dose coefficients. Oxford, Pergamon Press (International Commission on Radiological Protection Publication 72).
- ICRP (2000) Protection of the public in situations of prolonged radiation exposure. Oxford, Pergamon Press (International Commission on Radiological Protection Publication 82).
- IPCS (1994) Assessing human health risks of chemicals: derivation of guidance values for health-based exposure limits. Geneva, World Health Organization, International Programme on Chemical Safety (Environmental Health Criteria 170).
- IPCS (2000) Disinfectants and disinfectant by-products. Geneva, World Health Organization, International Programme on Chemical Safety (Environmental Health Criteria 216).
- IPCS (2001) Guidance document for the use of data in development of chemical-specific adjustment factors (CSAFs) for interspecies differences and human variability in dose/concentration—response assessment. Geneva, World Health Organization, International Programme on Chemical Safety (February 2001 draft).
- ISO (1991a) Water quality Measurement of gross beta activity in non-saline water Thick source method. Geneva, International Organization for Standardization (International Standard 9695).

ANNEX 1. BIBLIOGRAPHY

- ISO (1991b) Water quality Measurement of gross alpha activity in non-saline water Thick source method. Geneva, International Organization for Standardization (International Standard 9696).
- Jochimsen EM et al. (1998) Liver failure and death after exposure to microcystins at a hemodialysis center in Brazil. *New England Journal of Medicine*, 338(13):873–878.
- Lloyd B, Bartram J (1991) Surveillance solutions to microbiological problems in water quality control in developing countries. *Water Science and Technology*, 24(2):61–75.
- NCRP (1989) Control of radon in houses. Recommendations of the National Council on Radiation Protection and Measurements. Bethesda, MD, National Council on Radiation Protection and Measurements (NCRP Report No. 103).
- Pouria S et al. (1998) Fatal microcystin intoxication in haemodialysis unit in Caruaru, Brazil. *Lancet*, 352:21–26.
- Pylon (1989) *Instruction manual for using Pylon Model 110A and 300A Lucas cells with the Pylon Model AB-5*. Ottawa, Ontario, Pylon Electronic Development Company Ltd., 43 pp.
- Pylon (2003) *Water degassing with Pylon WG-1001 to measure Rn in Lucas cells.* Available at http://www.pylonelectronics.com/nukeinst/sections/2.htm.
- Renwick AG (1993) Data-derived safety factors for the evaluation of food additives and environmental contaminants. *Food Additives and Contaminants*, 10:275–305.
- Rooney RM et al. (in press) Water safety on ships. A review of outbreaks of water-borne disease associated with ships. Accepted for publication in *Public Health Reports*.
- Sawyer R, Simpson-Hébert M, Wood S (1998) *PHAST step-by-step guide: A participatory approach for the control of diarrhoeal disease.* Geneva, World Health Organization (unpublished document WHO/EOS/98.3). Available at http://www.who.int/water_sanitation_health/hygiene/envsan/phastep/en/.
- Simpson-Hébert M, Sawyer R, Clarke L (1996) *The Participatory Hygiene and Sanitation Transformation (PHAST) initiative: a new approach to working with communities.* Geneva, World Health Organization, United Nations Development Programme/World Bank Water and Sanitation Program (WHO/EOS/96.11). Available at http://www.who.int/water_sanitation_health/hygiene/envsan/phast/en/.
- UNSCEAR (2000) Sources, effects and risks of ionizing radiation. UNSCEAR 2000 report to the General Assembly. New York, NY, United Nations Scientific Committee on the Effects of Atomic Radiation.
- US NAS (1999) *Risk assessment of radon in drinking water*. National Academy of Sciences, Committee on Risk Assessment of Exposure to Radon in Drinking Water. Washington, DC, National Academy Press, 296 pp.
- US NRC (1999) *Health effects of exposure to radon; BEIR VI.* US National Research Council. Washington, DC, National Academy Press.
- WHO (1976) Surveillance of drinking-water quality. Geneva, World Health Organization.

GUIDELINES FOR DRINKING-WATER QUALITY

- WHO (1983) Article 14.2. In: *International Health Regulations* (1969), 3rd annotated ed. (updated and reprinted in 1992 and 1995). Geneva, World Health Organization. Available at http://policy.who.int/cgi-bin/om_isapi.dll?advquery= aircraft&hitsperheading=on&infobase=ihreg&rankhits=50&record={96}&soft-page=Doc Frame Pg42&x=37&y=12&zz=.
- WHO (1988) Derived intervention levels for radionuclides in food. Geneva, World Health Organization.
- WHO (1997) *Guidelines for drinking-water quality*, 2nd ed. Vol. 3. *Surveillance and control of community supplies*. Geneva, World Health Organization. Available at http://www.who.int/water_sanitation_health/dwq/guidelines4/en/.
- WHO (2003a) *Emerging issues in water and infectious disease*. Geneva, World Health Organization.
- WHO (2003b) Report of the WHO workshop: Nutrient minerals in drinking water and the potential health consequences of long-term consumption of demineralized and remineralized and altered mineral content drinking waters. Rome, 11–13 November 2003 (SDE/WSH/04.01).
- WHO/UNICEF Joint Monitoring Programme for Water Supply and Sanitation (2000) Global water supply and sanitation assessment 2000 report. Geneva, World Health Organization, Water Supply and Sanitation Collaborative Council and United Nations Children Fund.
- Wisner B, Adams J (2003) *Environmental health in emergencies and disasters*. Geneva, World Health Organization.
- World Health Assembly (1991) Elimination of dracunculiasis: resolution of the 44th World Health Assembly. Geneva, World Health Organization (Resolution No. WHA 44.5).